



Order #: 74309
Retail Batch #:
CCA-M0322

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Order Information

Order #: 74309
Order Name: Freeze Pain Cream FS 1000mg
Retail Batch #: CCA-M0322
Received: 12/09/2022 17:00:34
Complete: 12/14/2022 23:40:25

Batch Information

Create Date: Total Qty.: 0
Exp. Date: Matrix: Lotion/Salve/Balm
Size: 0 Pickup Weight: N/A

CANNABINOID PROFILE TESTED	LABEL CLAIM PASS	MICROBIAL ANALYSIS PASS
RESIDUAL SOLVENTS PASS	AGRICULTURAL AGENTS PASS	HEAVY METAL ANALYSIS PASS
TERPENES NOT TESTED	MOISTURE ANALYSIS NOT TESTED	WATER ACTIVITY NOT TESTED
FILTH & FOREIGN NOT TESTED	HOMOGENEITY NOT TESTED	MYCOTOXINS NOT TESTED



0.000 %
Total THC

2.224 %
Total CBD

2.244 %
Total Cannabinoids

Diana Asensio, M.S.

Lab Director

Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 74309
Retail Batch #:
CCA-M0322

Sample Prep

Tech: 3975
SOP: 418
Batch Number: 57439
Batch Date: 12/12/2022 20:49:03

Sample Analysis

Date/Time: 12/14/2022 16:28:21
Tech: 3396
SOP: 417
Final Weight: 0.2017 g
Volume: 40 ml

CANNABINOID PROFILE

HPLC-DAD

ND Total THC	ND THC Per Unit	ND THC Per Pkg
2.224 % Total CBD	1071.786 mg CBD Per Unit	1071.786 mg CBD Per Pkg
2.244 % Total Cannabinoids	1081.280 mg Cannabinoids Per Unit	1081.280 mg Cannabinoids Per Pkg

Cannabinoid Potency

ANALYTE	LOD/LOQ (mg/g)	DIL.	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE	LABEL CLAIM (mg)	% LABEL VAR.
CBC	0.064/0.1954	1	<LOQ	<LOQ	<LOQ	<LOQ	--	--
CBD	0.064/0.1954	1	2.224	22.239	1071.786	1071.786	1000	7.2
CBDA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBDV	0.064/0.1954	1	0.020	0.197	9.494	9.494	--	--
CBG	0.064/0.1954	1	<LOQ	<LOQ	<LOQ	<LOQ	--	--
CBGA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBN	0.064/0.1954	1	ND	ND	ND	ND	--	--
d8-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
d9-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
THCA	0.064/0.1954	1	ND	ND	ND	ND	--	--
THCV	0.064/0.1954	1	ND	ND	ND	ND	--	--

Additional Cannabinoids


ANALYTE	LOD/LOQ (mg/g)	DIL.	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE	LABEL CLAIM (mg)	% LABEL VAR.
CBDVA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBL	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBT	0.064/0.1954	1	ND	ND	ND	ND	--	--
d10-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
d9-THCP	0.064/0.1954	1	ND	ND	ND	ND	--	--
exo-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--

mg/unit = 48.194 (g) per unit x cannabinoid concentration (mg/g)
For inhalation derivative products, Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

CANNABINOID TOTALS	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE
Total THC	ND	ND	ND	ND
Total CBD	2.224	22.239	1071.786	1071.786
Total Cannabinoids	2.244	22.436	1081.280	1081.280

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 74309
Retail Batch #:
CCA-M0322

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Agricultural Agents

GC-MS/MS

PASS

Sample Prep

Tech: 3975
SOP: 402
Batch Number: 57445
Batch Date: 12/13/2022 13:35:28


Sample Analysis

Date/Time: 12/14/2022 11:56:03
Tech: 2816
SOP: 402
Final Weight: 0.5045 g
Volume: 10 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL (ppm)	RESULTS (ppm)
Captan	0.07/0.1	1	3	ND
Chlordane	0.01/0.1	1	0.1	ND
Chlorfenapyr	0.01/0.1	1	0.1	ND
Coumaphos	0.01/0.1	1	0.1	ND
Cyfluthrin	0.01/0.1	1	1	ND
Cypermethrin	0.01/0.1	1	1	ND
Methyl parathion	0.01/0.1	1	0.1	ND
Pentachloronitrobenzene	0.01/0.1	1	0.2	ND

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004



Order #: 74309
Retail Batch #:
CCA-M0322

Agricultural Agents

LC-MS/MS

PASS

Sample Prep

Tech: 3975
SOP: 432
Batch Number: 57446
Batch Date: 12/13/2022 14:12:21


Sample Analysis

Date/Time: 12/14/2022 11:44:46
Tech: 3445
SOP: 424
Final Weight: 0.5043 g
Volume: 5 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL(ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT(ppm)	RESULTS (ppm)
Abamectin B1a	0.002/0.035	2	0.3	ND	Imazalil	0.002/0.01	2	0.1	ND
Acephate	0.002/0.04	2	3	ND	Imidacloprid	0.002/0.002	2	3	ND
Acequinocyl	0.002/0.002	2	2	ND	Kresoxim-methyl	0.002/0.002	2	1	ND
Acetamiprid	0.002/0.002	2	3	ND	Malathion	0.01/0.04	2	2	ND
Aldicarb	0.002/0.01	2	0.1	ND	Metalaxyl	0.002/0.004	2	3	ND
Azoxystrobin	0.002/0.04	2	3	ND	Methiocarb	0.002/0.01	2	0.1	ND
Bifenazate	0.002/0.002	2	3	ND	Methomyl	0.002/0.002	2	0.1	ND
Bifenthrin	0.002/0.002	2	0.5	ND	Mevinphos	0.009/0.036	2	0.1	ND
Boscalid	0.01/0.05	2	3	ND	Myclobutanil	0.002/0.04	2	3	ND
Carbaryl	0.002/0.004	2	0.5	ND	Naled	0.002/0.01	2	0.5	ND
Carbofuran	0.002/0.01	2	0.1	ND	Oxamyl	0.002/0.002	2	0.5	ND
Chlorantraniliprole	0.002/0.01	2	3	ND	Paclobutrazol	0.002/0.004	2	0.1	ND
Chloromequat chloride	0.002/0.004	2	3	ND	Permethrins	0.002/0.01	2	1	ND
Chlorpyrifos	0.002/0.01	2	0.1	ND	Phosmet	0.002/0.002	2	0.2	ND
Clofentezine	0.002/0.002	2	0.5	ND	Piperonyl Butoxide	0.002/0.002	2	3	ND
Daminozide	0.01/0.04	2	0.1	ND	Prallethrin	0.002/0.01	2	0.4	ND
Diazinon	0.002/0.01	2	0.2	ND	Propiconazole	0.002/0.04	2	1	ND
Dichlorvos	0.002/0.04	2	0.1	ND	Propoxur	0.002/0.01	2	0.1	ND
Dimethoate	0.002/0.002	2	0.1	ND	Pyrethrins	0.001/0.013	2	1	ND
Dimethomorph	0.001/0.002	2	3	ND	Pyridaben	0.002/0.002	2	3	ND
Ethoprophos	0.002/0.01	2	0.1	ND	Spinetoram	0.001/0.003	2	3	ND
Etofenprox	0.002/0.002	2	0.1	ND	Spinosad	0.001/0.001	2	3	ND
Etoxazole	0.002/0.002	2	1.5	ND	Spiromesifen	0.002/0.002	2	3	ND
Fenhexamid	0.01/0.04	2	3	ND	Spirotetramat	0.002/0.01	2	3	ND
Fenoxycarb	0.002/0.004	2	0.1	ND	Spiroxamine	0.002/0.04	2	0.1	ND
Fenpyroximate	0.002/0.002	2	2	ND	Tebuconazole	0.01/0.04	2	1	ND
Fipronil	0.002/0.004	2	0.1	ND	Thiacloprid	0.002/0.002	2	0.1	ND
Fonicamid	0.002/0.01	2	2	ND	Thiamethoxam	0.002/0.01	2	1	ND
Fludioxonil	0.002/0.004	2	3	ND	Trifloxystrobin	0.002/0.002	2	3	ND
Hexythiazox	0.002/0.004	2	2	ND					

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 74309
Retail Batch #:
CCA-M0322

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

RESIDUAL SOLVENTS

HS-GC-MS

PASS

Sample Prep

Tech: 2816
SOP: 405
Batch Number: 57411
Batch Date: 12/12/2022 10:35:05

Sample Analysis

Date/Time: 12/13/2022 14:17:26
Tech: 2816
SOP: 405
Final Weight: 0.0494 g
Volume: 1 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)
1,1-Dichloroethene	0.6/0.63	1	8	ND	Heptane	6/140	1	5000	<LOQ
1,2-Dichloroethane	0.012/0.12	1	2	ND	Hexanes	0.06/18	1	250	ND
Acetone	9/140	1	750	ND	Isopropyl alcohol	3/140	1	500	<LOQ
Acetonitrile	0.72/25	1	60	ND	Methanol	6/100	1	250	ND
Benzene	0.06/1	1	1	ND	Methylene chloride	1.5/1.5	1	125	ND
Butane	48/50	1	5000	ND	Pentane	9/140	1	750	ND
Chloroform	0.2/1	1	2	ND	Propane	30/30	1	5000	ND
Ethanol	12/140	1	5000	ND	Toluene	0.9/53	1	150	ND
Ethyl acetate	2.4/140	1	400	ND	Total xylenes	1.8/130	1	150	ND
Ethyl ether	6/140	1	500	ND	Trichloroethylene	0.3/1	1	25	ND
Ethylene oxide	0.6/2	1	5	ND					

HEAVY METAL ANALYSIS

ICP-MS

PASS

Sample Prep

Tech: 3396
SOP: 428
Batch Number: 57442
Batch Date: 12/13/2022 12:36:57


Sample Analysis

Date/Time: 12/13/2022 15:01:33
Tech: 3396
SOP: 428
Final Weight: 0.2857 g
Volume: 60 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LIMIT (ppb)	RESULTS (ppb)
Arsenic	20/75	1	1500	ND
Cadmium	20/75	1	500	ND
Lead	20/75	1	500	ND
Mercury	20/75	1	3000	ND

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 74309
Retail Batch #:
CCA-M0322

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

MICROBIAL ANALYSIS
PASS

Sample Prep

Tech: 3358
SOP: 406

Batch Number: 57425
Batch Date: 12/12/2022 16:48:29

Date/Time: 12/13/2022 19:25:43
Tech: 3358
SOP: 406

Sample Analysis

Final Weight: 1.0249 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total enterobacteriaceae	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 3358
SOP: 406

Batch Number: 57425
Batch Date: 12/12/2022 16:48:29

Date/Time: 12/13/2022 19:25:43
Tech: 3358
SOP: 406

Sample Analysis

Final Weight: 1.0249 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total coliforms	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 3358
SOP: 406

Batch Number: 57425
Batch Date: 12/12/2022 16:48:29

Date/Time: 12/13/2022 19:25:43
Tech: 3358
SOP: 406

Sample Analysis

Final Weight: 1.0249 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total aerobic count	qPCR	NA	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director



Florida
4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 74309
Retail Batch #:
CCA-M0322

MICROBIAL ANALYSIS

PASS

Sample Prep

Tech: 3358
SOP: 406

Batch Number: 57425
Batch Date: 12/12/2022 16:48:29

Date/Time: 12/13/2022 19:25:43
Tech: 3358
SOP: 406

Final Weight: 1.0249 g

Sample Analysis

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total yeast and mold	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 3571
SOP: 406

Batch Number: 57426
Batch Date: 12/12/2022 16:55:35

Date/Time: 12/14/2022 20:12:02
Tech: 3571
SOP: 406

Final Weight: 1.0065 g

Sample Analysis

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Aspergillus flavus	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus fumigatus	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus niger	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus terreus	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Sample Prep

Tech: 3571
SOP: 406

Batch Number: 57426
Batch Date: 12/12/2022 16:55:35

Date/Time: 12/14/2022 20:12:02
Tech: 3571
SOP: 406


Final Weight: 1.0065 g

Sample Analysis

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Salmonella	qPCR	< 1 CFU/g	NOT DETECTED	PASS
STEC e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Order #: 74309
Retail Batch #:
CCA-M0322


CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

COA

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



